

**ARIES**

INDUSTRIES, INC.

550 Elizabeth Street  
Waukesha, WI 53186

Sourcewell

Awarded Contract

Contract # 120721-ARS

**QUOTATION**

Quote Number: S240827

Phone 262-896-7205 Fax: 262-896-7099

Page: 1 of 1

**Quote To:**Shawn Fournier  
City of Nampa  
411 3rd Street South  
Nampa ID 83651  
USA

Sourcewell Account #: 109921

Phone: 280-250-1068

Fax:

fournier@cityofnampa.us

Date: 8/28/2024

Valid Thru: 9/27/2024

Sales Person: Dave Chapman

Terms of Sale: FOB Dest PPD

Payment Terms: Net 30 Days

Ship Via: UPS Freight

Fax:

dave.chapman@ariesindustries.com

US Dollars

Line	Part Number	Quantity	Description	Unit Price	Extended Price
*** Sourcewell Contract Pricing *** Per specifications dated 08/27/2024 Estimated delivery 16-18 weeks					
1	CFG-QQ-575	1.00 EA	Nampa Mobile Voyager System with DC400 & Monitor	108,976.00	\$108,976.00
2	970000	0.00 EA	In-Field Training by Aries Staff on Aries Equipment		\$0.00
Line (2) is for order fulfillment purposes only					
3	580808	0.00 EA	Voyager Large-line Kit with 8" Wheels	10,600.00	\$0.00
Option					

I accept the Terms and  
Conditions of this Quotation.

PO #: \_\_\_\_\_

Name: \_\_\_\_\_

Title: \_\_\_\_\_

Signature: \_\_\_\_\_

Sub Total:

\$108,976.00

Misc. Charges:

\$0.00

Total:

\$108,976.00

\*\*\* TOTAL SUBJECT TO CHANGE FOR TAXES AND FREIGHT \*\*\*  
 A restocking charge of 15% will apply to all unused returned parts

Spec #S240827  
August 27th, 2024

Equipment  
Specifications

City of Nampa, ID



**Nampa, ID Mobile Voyager System Component List**

**REF Quote Line 1 – System Details**

- 1 22" LCD flat panel monitors, TV/PC viewing, mounted to control room desktop**
- 1 Aries DC400 Voyager All-in-One Desktop Controller, including:**
  - 7" color flat touch-screen status & diagnostics monitor
  - Sealed connector for interconnect cable to reel
  - Camera controls
  - Tractor controls
  - Reel controls
  - Internal overlay module with footage & inclination
  - Alphanumeric full "QWERTY" keyboard for video titling and report data input
- 1 Storage and transportation case (460281)**
- 1 Truck mount inter-connect cables**
- 1 Aries HD400 Voyager zoom, rotate & horizontal pan camera w/ high-intensity LED lighting and integrated self-cleaning lens wiper system, including:**
  - Voyager zoom pan and tilt camera w/ multi-axis infinite rotation
  - Integrated on-demand self-cleaning lens wiper system
  - 120X zoom (10X optical & 12X digital)
  - High-resolution 1080(V) x 1920(H) output
  - Auto-focus with manual override
  - Auto-iris with manual override
  - Maintenance-free directional white LED lighting that follows the camera's field of view
  - High-sensitivity camera sensor for low-light applications
  - "Starlite" low-light level amplification feature with (4) user selectable amplification steps
  - Automatic home feature with forks at top and bottom of camera head
  - "One Touch Scanning" feature with (2) user selectable continuous joint scan presets
  - "Quick Look" preset view positions (6) (Up, Down, Right, Left, Lat R, Lat L)
  - Robust, environmentally sealed camera for use in live pipe, including:
    - Scratch-resistant sapphire lens window
    - Camera recessed behind forks for frontal impact protection
    - Rubber bumpers on forks
    - Camera housing with hardened metal finishes and non-corrosive metals
    - Recessed fasteners & no camera protrusions
  - Proportionately slowed camera movements when zooming
  - Fast-check internal pressure monitoring system
  - On-screen camera diagnostics functions including:

Camera internal pressure, temperature, operating hours, internal power regulated voltage value, camera model, serial number, firmware revision, control error recognition, LED current value.

- 1 Camera storage and transport case (460283)
- 1 Camera nitrogen recharge kit (950011)

**1 Aries TR400 Voyager steerable self-propelled transporter for 6" relined to 24" lines, including:**

- Transporter assembly with continuous duty 120-Watt brushless drive motors
- Remotely-operated electric camera lifting mechanism
- Fast-check pressure monitoring system
- Rear viewing camera with LED lighting
- 512 Hz internal locating beacon
- Integrated inclinometer system
- 6 Rubber wheels, 3-3/8" diameter for 6" lines (580660)
- 4 Rubber wheels, 4-3/8" diameter for 8-12" lines (580661)
- 4 Rubber wheels, 5" diameter for 12-18" lines (580662)
- 4 Extended hub dually rubber wheels, 5" diameter for 18-24" lines (580663)
- 1 Auxiliary detachable light head (LH40)
- 1 Set maintenance parts (950351)
- 1 Storage and transport case (460282)

**1 MR400 Mobile Voyager cable and reel assembly, including:**

- 1 Lightweight aluminum frame
- 1 Drum and motor assembly with electric clutch
- 1 800' of 6-conductor Kevlar-strengthened cable with water-block to prevent wicking
- 1 6-pin cable termination
- 1 Cable level wind assembly with one-button adjustment
- 1 Distance meter encoder
- 1 Cable guide rollers on extendable downrigger assembly with single-button deployment and spring-loaded top roller for easy cable removal.
- 1 Travel brake
- 1 Sealed electronics box on side of reel with:
  - 1 300VDC power supply and CANbus cable management system
  - 1 Integrated isolation transformer
  - 1 Sealed continuous contact 6-conductor slip ring assembly
  - 1 Front-mounted emergency stop push button switch
  - 1 Front-mounted AC power switch
  - 1 120 VAC power input plug with cord
  - 1 Rear-mounted controller cable connector
  - 1 Front and rear mounted handheld pendant connectors
- 1 HC400 handheld pendant with 15' coiled cable for at-manhole operation of reel & transporter
- 1 Wireless Xbox One X style handheld controller

**2 Operation / maintenance and spare parts manuals**

- 1 One year warranty, TV system**
- 1 Delivery of system**

*Spec #S240827  
August 27th, 2024*

*Equipment  
Specifications*

*City of Nampa, ID*

**REF Quote Line 2 – On-Site**

- 1 Day(s) of in-field training by Aries staff on Aries equipment**

**REF Quote Line 3 – LLK Option**

- 1 Large diameter pipe kit with geared side rails and 8" diameter rubber tires for operation up to 36" lines**