

This document is the property of erstad ARCHITECTS and is protected by U.S. and international laws. Use, reproduction, or modification of this document without first obtaining written permission of erstad ARCHITECTS is prohibited. This document may not be used in any unauthorized manner. ©2024

city of nampa - streets
division addition
106 w. railroad st, nampa, id


revision:		
no.	desc.	date

project: 231001
date: 06.17.24

PERMIT


architectural
site plan

a1.11



overall site plan

1" = 80'-0"



site plan

1/16" = 1'-0"

keynotes	
101	PROPERTY LINE
102	WHEEL STOP, SEE CIVIL DWGS
103	BOLLARD(S), SEE CIVIL DWGS
105	REMOVE EXISTING PARKING STALLS
106	H.C. PARKING SIGN
107	SIDEWALK
108	ACCESSIBLE SYMBOL
109	ACCESSIBLE STRIPING
114	MOTORCYCLE PARKING STALL
115	HVAC UNIT
118	FLAGPOLE

general notes:

A. THIS SITE PLAN IS PROVIDED FOR GENERAL COORDINATION PURPOSES. REFER TO AND COORDINATE WITH RESPECTIVE CIVIL, LANDSCAPE, MECHANICAL, AND ELECTRICAL DRAWINGS FOR ADDITIONAL SPECIFIC INFORMATION.

B. COORDINATE WITH CIVIL DRAWINGS FOR ALL UTILITY LOCATIONS, FINAL GRADING & DRAINAGE.


C. CONTRACTOR TO VERIFY ALL LOCATIONS AND DIMENSIONS IN THE FIELD.

D. RE: GEOTECH ENGINEERING REPORT FOR SOIL BEARING PRESSURES, EXISTING SOIL CONDITIONS, AND CONSTRUCTION CONSIDERATIONS.


E. RE: LANDSCAPE DRAWINGS FOR PLANTINGS.

F. RE: ELECTRICAL AND BUILDING ELEVATIONS FOR BUILDING MOUNTED EXTERIOR LIGHTING.

G. REFER TO CIVIL SITE DEMO PLAN FOR EXTENTS OF EXISTING WORK TO REMAIN AND BE REMOVED.




ROOF ASSEMBLIES:






INTERIOR NON-RATED WALL ASSEMBLIES:

* NOTE: WALL FULL HEIGHT UNLESS OTHERWISE NOTED



WALL ASSEMBLIES:

EXTERIOR NON-RATED ASSEMBLIES:



general notes

- CONTRACTOR TO VERIFY ALL DIMENSIONS IN FIELD. NOTIFY ARCHITECT IF DISCREPANCIES ARE FOUND.
- GYPSUM WALLBOARD APPLICATION & FINISHING AT ALL EXPOSED SURFACES TO COMPLY WITH SPECIFICATIONS.
- UNLESS NOTED OTHERWISE, ALL EXTERIOR WALLS ARE DIMENSIONED TO FACE OF FOUNDATION / GRID LINE.
- UNLESS NOTED OTHERWISE, ALL PARTITIONS ARE DIMENSIONED TO FACE OF STUD.
- UNLESS DIMENSIONED OTHERWISE, INTERIOR DOORS SHALL BE LOCATED 4\"/>
- ALL FURNITURE & EQUIPMENT BY OWNER. SHOWN FOR COORDINATION ONLY.

legend:

- WINDOW TYPE, SEE WINDOW SCHEDULE a6.11
- DOOR NUMBER, SEE DOOR SCHEDULE a6.11
- WALL TYPES, SEE WALL TYPES THIS SHEET
- NEW FRAMED WALL
- EXISTING FRAMED WALL

room finish legend

CEILING:

ACT: ACOUSTICAL CEILING TILE

GWB: GYPSUM WALL BOARD

PAINTED, P3

WALLS:

P1: PAINT FIELD
COLOR: SW 6141 SOFTER TAN;
VERIFY WITH OWNER, CONTRACTOR PROVIDED

P2: PAINT ACCENT
COLOR AND SHEEN TO BE OWNER
SELECTED, CONTRACTOR PROVIDED

P3: PAINT CEILING
COLOR AND SHEEN TO BE OWNER
SELECTED, CONTRACTOR PROVIDED

FLOOR:

SC: H&C CONCRETE SEALER; LIQUID
PENETRATING SEALER

BASE:

RB: 6\"/>

CABINETS:

PL: PLASTIC LAMINATE TO BE SELECTED
BY OWNER, CONTRACTOR PROVIDED

COUNTERTOPS:

CT: PLASTIC LAMINATE TO BE SELECTED
BY OWNER, CONTRACTOR PROVIDED

MISCELLANEOUS:



EX: EXISTING

FRP: FIBERGLASS REINFORCED PANELS TO
BE INSTALLED IN BATHROOMS IN SCOPE.

CG: CORNER GUARDS

room finish general notes

- CONTRACTOR TO VERIFY ALL DIMENSIONS IN FIELD. NOTIFY ARCHITECT IF DISCREPANCIES ARE FOUND.
- GYPSUM WALLBOARD APPLICATION & FINISHING AT ALL EXPOSED SURFACES TO COMPLY WITH SPECIFICATIONS.
- SEE INTERIOR ELEVATIONS FOR ADDITIONAL INFORMATION.
- ONE COAT OF PRIMER PAINT AND TWO COATS OF FINISH PAINT SHALL BE APPLIED TO ALL WALL SURFACES. TOP COAT TO BE BACK ROLLED.
- CONTRASTING PAINT COLORS SHALL TERMINATE AT INSIDE CORNERS UNLESS OTHERWISE NOTED.
- USE RECOMMENDED MANUFACTURER'S ADHESIVES AND SEALERS UNLESS OTHERWISE NOTED.
- PROVIDE SUBMITTAL AND PHYSICAL SAMPLE OF EACH FINISH MATERIAL FOR ARCHITECT/DISIGNER APPROVAL BEFORE ORDERING AND INSTALLATION.
- CABINETRY & COUNTERTOP FINISHES NOTED ON ELEVATIONS & DETAILS.
- SEE REFLECTED CEILING PLAN FOR CEILING HEIGHTS.



This document is the property of erstad ARCHITECTS and is protected by U.S. and international laws. Use, reproduction, or modification of this document without first obtaining written permission of erstad ARCHITECTS is prohibited. This document may not be used in any unauthorized manner. ©2024

city of nampa - streets
division addition
106 w. railroad st, nampa, id


revision:		
no.	desc.	date

project: 231001
date: 06.17.24


PERMIT

exterior
elevations


a3.11




1 north
1/4" = 1'-0"



2 east
1/4" = 1'-0"



3 south
1/4" = 1'-0"



4 west
1/4" = 1'-0"

general notes

- A. DO NOT SCALE HATCH PATTERNS. FOR MATERIAL REPRESENTATION ONLY.
- B. PAINT ALL EXPOSED ROOF PENETRATIONS TO MATCH ROOF.
- C. EXTERIOR JOINTS AROUND WINDOW AND DOOR FRAMES, OPENINGS BETWEEN WALLS AND FOUNDATIONS, BETWEEN WALLS AND ROOF, BETWEEN WALLS AND PANELS, AT PENETRATIONS OF UTILITY SERVICE THROUGH WALLS, FLOORS, AND ROOFS, AND ALL OTHER SUCH OPENINGS INTO BUILDING SHALL BE SEALED, CAULKED, GASKETED, OR WEATHERSTRIPPED TO LIMIT AIR LEAKAGE AROUND THEIR PERIMETER WHEN IN CLOSED POSITION.

keynotes

- 301 EXISTING METAL SIDING
- 302 NEW METAL SIDING - TO MATCH EXISTING
- 303 NEW METAL ROOF - TO MATCH EXISTING
- 306 EXISTING GAS METER
- 307 EXISTING METAL ROOF
- 310 HVAC UNIT, SEE MECHANICAL DRAWINGS
- 312 EXPANSION JOINT
- 313 PRE-FINISHED METAL FASCIA, TO MATCH EXISTING
- 314 PRE-FINISHED GUTTER, TO MATCH EXISTING. SIZE AS INDICATED IN DETAIL 6a&8.13
- 315 DOWNSPOUT, TO MATCH EXISTING

exterior material legend:

FINISH	LEGEND	DESCRIPTION
MTL		MATCH EXISTING METAL SIDING BASIS OF DESIGN: PBR 36, COLOR: SAND GOLD
STL		STEEL COLUMNS, SEE STRUCTURAL DRAWINGS